

Certificate Detail

|                   |                                         |                                         |
|-------------------|-----------------------------------------|-----------------------------------------|
| Film Name         | : MAUSAM IKRAR KE DO PAL PYAR KE        | Links for more information              |
| Language          | : Hindi                                 |                                         |
| Duration          | : 113.23 MM.SS                          | <a href="#">Synopsis of the movie</a>   |
| Applicant Name    | : vivek films production house- MUMBAI  |                                         |
| Producers         | : VIVEK FILMS PRODUCTION HOUSE - MUMBAI | <a href="#">Cast and Credit Details</a> |
| Name of Signatory | : Tushar Karmarkar, RO, CBFC, Mumbai    |                                         |
| Name of EO / PO   | : VINAY G VAIRALE (E.O.)                |                                         |

Endorsement

File No. : 1A011804201893493

Film Name : MAUSAM IKRAR KE DO PAL PYAR KE (HINDI) (Color) (2-D)

Applied Running Time : 113.13 MM.SS

Cert No. DIL/2/381/2018-MUM Dated 24/10/2018

Insertions / Excisions/ Modifications carried out by the applicant to comply with the law in force

Duration (MM.SS)

| Cut No. | Description                                                                        | Deleted | Replaced | Inserted |
|---------|------------------------------------------------------------------------------------|---------|----------|----------|
| 1       | Added 10 seconds slot foe CBFC Certificate as per the rule 35(3) of CCR, 1983.     | 00.00   | 00.10    | 00.00    |
| 2       | Replaced Rahul Dravid's smoking disclaimer with Akshay Kumar's smoking disclaimer. | 00.00   | 00.00    | 00.00    |
| 3       | Muted the word "maal"                                                              | 00.00   | 00.00    | 00.00    |
| Total : |                                                                                    | 00.00   | 00.10    | 00.00    |

Total Replacement at the time of Examination : 00.10 MM.SS

Actual Duration of the film after the aforesaid deletions and replacements will be 113.23 MM.SS in 1 cassette(s).